

Cucurbit Genetics Cooperative

2001-2002 Membership Directory

Aboul-Nasr, M. Hossam Dept. Horticulture, Fac. Agriculture, Assiut University, Assiut, Egypt. Ph: +2088310952; Fax: +2088332875; Email: *aboul-nasr@mailcity.com*. Vegetable production and plant tissue culture.

Akkermans, Doretta PT East West Seed Indonesia, P.O. Box 1, Campaka, Purwakarta 41181, W. Java, Indonesia. Ph: 0264-201871; Fax: 0264-201875; Email: *doretta@ibm.net*. Cucumber, watermelon and melon breeding.

Andres, Thomas C. 5440 Netherland Ave., #D24, Bronx, NY, 10471-2321. Ph: (718) 601-7329; Fax: (718) 601-7329; Email: *tom@andres.com*. *Cucurbita* systematics.

Attard, Everaldo 14, Calendula, Triq ir-Rebbiegha, Siggiewi (QRM 13), Malta. Ph: ++356 3290 2323; Email: *eatt1@um.edu.mt*. Research on the economic importance of *Ecballium elaterium* (squirting cucumber).

Ayuso, M^a Cruz Seminis Vegetable Seeds Iberica, S.A., Finca Villa Dolores, CTRA NAC 301, KM 432a, 30319 Miranda, Cartagena Murcia, Spain. Ph: 34 968 55 00 80; Fax: 34 968 55 06 76; Email: *cmunoz@svseeds.nl*.

Bao, HaiQing Xinjiang Western China Seed Group, No. 25 Luzhou Road, Changji, Xinjiang 831100, P.R. China. Ph: (0994) 2345202; Fax: (0994) 2348415. Watermelon & melon breeding, hybrid seed production techniques, variety evaluation.

Barham, Warren S. Barham Seeds, Inc., 7401 Crawford Dr., Gilroy, CA, 95020- 5421. Ph: (408) 847-3056; Fax: (408) 847-6988; Email: *wsbarham@garlic.com*. Watermelon and melon breeding.

Baudracco-Arnas, Sylvie ASL, Site Agroparc Bat. 1, 755, Chemin des Meinajaries, BP. 1202, 84911 Avignon Cedex 9, Cedex 9, France. Ph: 04.90 84 00 46; Fax: 04.90 84 00 47; Email: *sba.asl@pol.fr*. Melon molecular biologist.

Beaver, Linda See *Wessell-Beaver, Linda*

Berenji, Janos Inst. Field & Vegetable Crops, 21470 Backi Petrovac, Yugoslavia. Email: *berenji@EUnet.yu*.

Blazey, Douglas A. Yates Vegetable Seeds, Research Farm, Burroway Road, Narromine, N.S.W. 2821, Australia. Ph: (068) 89-1144.

Boissot, Nathalie INRA, Domaine Duclos, Petit-Bourg BP 515, 97165 Pointe'Pitre cedex, Guadeloupe (F.W.I.). Ph: (0)590 25 59 45; Fax: (0)590 94 11 72; Email: *boissot@antilles.inra.fr*.

Bosma, Monique ENZA ZADEN, De Enkhuizer Zaadh. b.v., Postbox 7, 1600 AA Enkhuizen, The Netherlands. Ph: 02280-315844; Fax: 0228-315960; Email: *M.Bosma@enzazaden.nl*.

Boyhan, George E. University of Georgia, P.O. Box 8112, GSU, Statesboro, GA, 30460. Ph: (912) 681-5639; Fax: (912) 681-0376; Email: *gboyhan@uga.cc.uga.edu*. Melon and watermelon breeding.

Brown, Rebecca Dept. Hort., Oregon St. Univ., Ag Life Sci Bldg 4017, Corvallis, OR, 97331. Ph: (541) 737-5462; Email: *brownr@bcc.orst.edu*. Virus resistance, *Cucurbita* germplasm, squash breeding.

Bruton, Benny U.S. Dept. Agriculture, Agricultural Research Service, Lane, OK, 74555. Ph: (580) 889-7395; Fax: (580) 889-5783; Email: *bbruton-usda@lane-ag.org*. Vine declines of cucurbits; postharvest fruit rots.

Burger, Yosi New Ya'ar Research Center, P.O. Box 1021, Ramat Yishay 30095, Israel.

Burkett, Al Seminis Vegetable Seeds, 37437 State Highway 16, Woodland, CA, 95695. Ph: (530) 666-0931; Fax: (530) 668-0219. Pickling cucumber breeding.

Çaglar, Gülat KSU, Ziraat Fakultesi, Bahce Bitkileri Bolumu, 46060, Kahramanmaras, Turkey. Ph: 90-344-237666/384; Fax: 90-344-2230048; Email: *gulat99@excite.com*. Cucumber breeding.

Carey, Edward E. "Ted" Kansas State R&E Center at Olathe, 35125 W. 135th St., Olathe, KS, 66061. Ph: (816) 806-3734; Fax: (785) 532-6949; Email:

tcarey@oznet.ksu.edu. Breeder with interest in cucurbits.

Carle, R. Bruce Hollar Seeds, PO Box 0106, Rocky Ford, CO, 81067-0106. Email: *bcarle@ria.net*. Watermelon and squash breeding.

Chen, Fure-Chyi Dept. Plant Industry, Natl. Pingtung Univ. Sci. & Techn., Neipu, Pingtung 91207, Taiwan, Rep. China. Ph: 886-8-774-0267; Fax: 886-8-774- 0371; Email: *furechen@mail.npust.edu.tw*. Gene transfer, breeding, tissue culture and isozymes.

Ching, "Alex" Alejandro Alternative Crops Res Ctr, NW MO St U, 106 Valk, 800 Univ Dr, Maryville, MO, 64468. Ph: (660) 562-1126; Fax: (660) 562-1621; Email: *alching@mail.nwmissouri.edu*. Breeding & introduction of new cucurbits. Production & nutritional quality.

Chung, Paul Seminis Vegetable Seeds, Inc., 37437 State Highway 16, Woodland, CA, 95695. Ph: (530) 666-0931; Fax: (530) 668-0219; Email: *Paul.Chung@svseeds.com*. Melon breeding.

Coffey, Robyn Willhite Seed, Inc., P.O. Box 23, Poolville, TX, 76487. Ph: (817) 599-8656; Fax: (817) 599-5843; Email: *robyn@willhiteseed.com*.

Cohen, Ron Newe Ya'ar Research Center, P.O. Box 1021, Ramat Yishay 30095, Israel. Ph: 972-4-953-9516; Fax: 972-4-983-6936. Plant pathology; root and foliar diseases of cucurbits.

Cohen, Yigal Department of Life Sciences, Bar-Ilan University, Ramat-Gan 52 100, Israel. Ph: +9723-5318251; Fax: +9723-6771088. Melon.

Cook, Kevin L. Syngenta Seeds, Veg-NAFTA, 10290 Greenway Road, Naples, FL, 34114. Ph: (941) 775-4090; Fax: (941) 774-6852; Email: *kevin.cook@syngenta.com*. Breeding of summer squash.

Coyne, Dermot P. Department of Horticulture, University of Nebraska, Lincoln, NE, 68583-0724. Ph: (402) 472-1126; Fax: (402) 472-8650; Email: *dpcoyne@unlnotes.unl.edu*. Breeding and genetics of squash.

Cramer, Chris Dept. Agron. & Hort., NMSU, P.O. Box 30003, Dept. 3Q, Las Cruces, NM, 88003-8003. Ph: (505) 646-3405; Email: *ccramer@nmsuvm1.nmsu.edu*. Cucumber yield, yield components, combining ability, heterosis and recurrent selection.

Crosby, Kevin Texas Agric. Expt. Sta., 2415 East Hwy 83, Weslaco, TX, 78596. Ph: (956) 969-5636; Fax: (956) 969-5620; Email: *k-crosby@tamu.edu*. Myrothecium stem canker on melon.

Cui, Hongwen Dept. Horticulture, Northwestern Agric. Univ., Yangling, Shaanxi 712100, P.R. China. Cucumber breeding.

Dane, Fenny Dept. Horticulture, Auburn University, Auburn, AL, 36849. Ph: (334) 844-3047; Fax: (334) 844-3131; Email: *fdane@acesag.auburn.edu*. *Citrullus* genomics.

Danin-Poleg, Yael A.R.O., Newe Ya'ar Expt. Station, P.O. Box 1021, Ramat Yishay 30095, Israel. Ph: 972-4-9539553/4; Fax: 972-4-9836936; Email: *geneweya@netvision.net.il*.

Davis, Angela USDA, ARS, P.O. Box 159, Hwy. 3 West, Lane, OK, 74555. Ph: (580) 889-7395; Fax: (580) 889-5783; Email: *adavis-usda@lane-ag.org*. Germplasm improvement.

de Groot, Erik Breeding, Sementi Nunhems S.R.L., Via Ghiarone, 2, 40019 S. Agata Bolognese, Italy.

De Hoop, Simon Jan East-West Seed, Farm Lert Phan, 7 Moo 9, Tambon Maefaek Mai, Amphur Sansai, Chiangmai, 50290 Thailand. Ph: (66) 53-848610; Fax: (66) 53-848611; Email: *research.th@eastwestseed.com*. Cucurbit breeding.

De Langen, Frank Mas St. Pierre, 13210 St Remy de Provence, France. Email: *frank.delangen@clause.fr*.

de Melo, Arlete Marchi Tavales Centro de Horticultura, Instituto Agronomico de Campinas, Campinas, SP, Brazil. Email: *arlete@cec.iac.br*.

de Ruiter, A.C. de Ruiter Zonen CV, Postbus 1050, 2660 BB Bergschenhoek, The Netherlands. Ph: 010-5292204; Fax: 010-5216125. Breeding and seed production of cucumbers.

Decker-Walters, Deena The Cucurbit Network, 11901 Old Cutler Road, Miami, FL, 33156-4242. Ph: (305) 667-3800; Fax: (305) 661-5984; Email: *walters@servax.fiu.edu*. Communication via The Cucurbit Network; the whole family Cucurbitaceae.

Della Vecchia, Paulo T. Agroflora S/A, Caixa Postal 427, 12.900-000 Braganca, Paulista - SP, Brazil. Ph: (011) 7871-0855; Fax: (011) 7843-6572. Breeding & genetics, seed production and disease resistance of melon and squash.

Denlinger, Phil Mt. Olive Pickle Co., Inc., P.O. Box 609, Mount Olive, NC, 28365. Ph: (919) 658-2535; Fax: (919) 658-6090.

Di Nitto, Louis Victor Sunseeds, 8850 59th Ave., N.E., Brooks, OR, 97305. Ph: (503) 393-3243; Fax: (503) 390-0982. Melon (*Cucumis melo*).

Dogan, Remzi Kaplikaya Mah. Sukent Sites1, K Blok, No:7, Bursa, Turkey 16320. Ph: ++90 224 3679879; Fax: ++90 224 2236570; Email: remzi@may.com.tr. Hybrid breeding and resistance breeding of cucumbers, watermelons, cantaloupes, squashes.

Drowns, Glenn Sand Hill Preservation Center, 1878 230th Street, Calamus, IA, 52729. Ph: (319) 246-2299; Email: gdrowns@cal-wheat.k12.ia.us. Genetic preservation of all cucurbits. Taxonomy of *Cucurbita moschata* and *Cucurbita argyrosperma*.

Duangsong, Usa Limagrains Veg. Seeds Asia, 119/9 Moo 1, Baan Khao, Muang, Kanchanaburi 71000, Thailand. Ph: 66-2-636-2521-1; Fax: 66-2-636-2524; Email: songusa@loxinfo.co.th.

Eigsti, Ori J. 1602 Winsted, College Green, Goshen, IN, 46526. Ph: (219) 533-4632. Fusarium wilt resistance in tetraploid *Citrullus lanatus* lines, to eliminate crop rotation.

El Jack, Ali Elamin Dept. Horticulture, Fac. Agric. Sci., University of Gezira, Wad Medani, P.O. Box 20, Sudan. Email: nahla_2elamin@yahoo.com.

Elmstrom, Gary c/o Sunseeds, 7087 E. Peltier Road, Acampo, CA, 95220. Ph: (209) 367-1064; Fax: (209) 367-1066; Email: gary.elmstrom@sunseeds.com. Triploid watermelon breeding.

Ezura, Hiroshi Plant Biotech Inst, Ibaraki Agric Ctr, Ago, Iwama, Nishi-ibaraki, 319-0292, Ibaraki, Japan. Ph: 0299-45-8330; Fax: 0299-45-8351; Email: ezura@nocs.tsukuba-noc.affrc.go.jp

Fanourakis, Nicholas E. Technological Education Institute, Heraklion Crete, 71500 Greece. Ph: +30-81-311388; Fax: +30-81-318204; Email: fanourak@lyttos.admin.teiher.gr.

Fito, Laia Plant Molec Marker & Pathol Dept, Semillas Fito S.A., c/Selva de Mar, Ill, 08019 Barcelona, Spain. Ph: +34 (9)3 303 63 60; Fax: +34 (9)3 307 03 64; Email: eulalia@fito.es. Disease resistance and quality of melons (esp. Spanish) & cucumber; breeding schemes & genetic markers.

Gabert, August C. Sunseeds, 8850 59th Ave. NE, Brooks, OR, 97305-9625. Ph: (503) 393-3243; Fax: (503) 390-0982. Cucumber breeding and genetics.

Ganapathi, A. Dept. Biotechnology, Bharathidasan University, Tiruchirappalli - 620 024, India. Ph: 91-0431-660386; Fax: 91-0431-660245; Email: ganap@bdu.ernet.in.

Garcia, Ernesto Asgrow Spain, S.L., P.O. Box 175, 04700 El Ejido, Almería, Spain. Ph: (34) 950-580012; Fax (34) 950-581162.

Garza Ortega, Sergio Univ Sonora, Dept Agric y Ganaderia, Iturbide #32 Jalisco/N. Heroes, Hermosillo, Sonora 83040, Mexico. Ph: (62) 13-80-06; Fax: (62) 13-80-06; Email: sgarza@rtn.uson.mx. Breeding of *Cucurbita* spp.; testing of new muskmelon lines.

Gatto, Gianni Esasem Spa, Via San Biagio 25, 37052 Casaleone (VR), Italy. Ph: 0442/331633; Fax: 0442/330834.

Gómez-Guillamón, M. Luisa Estacion Experimental La Mayora, 29750 Algarrobo- Costa, Malaga, Spain. Ph: (952) 51 10 00; Fax: (952) 51 12 52; Email: guillamon@mayora.csic.es.

Groff, David Asgrow - SVS, 432 TyTy Omega Road, Tifton, GA, 31794. Ph: (912) 386-8701; Fax: (912) 386-8805. Breeding of squash, cucumber, melon and watermelon.

Grumet, Rebecca Dept. Hort., Plant & Soils Building, Michigan State University, East Lansing, MI, 48824-1325. Ph: (517) 353-5568; Fax: (517) 353-0890; Email: grumet@pilot.msu.edu. Disease resistance, gene flow, tissue culture and genetic engineering.

Gusmini, Gabriele 4610 Twisted Oaks Dr., #1806, Raleigh, NC, 27612. Ph: (919) 786-0653; Email: ggusmin@unity.ncsu.edu. Watermelon research.

Hagihara, Toshitsugu Hagihara Farm Co., Ltd., 984 Hokiji, Tawaramoto, Shiki Nara, 636-0222, Japan. Ph: 07443-3-3233; Fax: 07443-3-4332; Email: cucurbit@mahoroba.ne.jp.

Haim, Davidi Hazera Quality Seed Ltd., Mivhor Farm Doar, Sede Gat 79570, Israel.

Hassan, Ahmed Abdel-Moneim Department of Vegetable Crops, Fac. Agriculture, Cairo University, Giza, Egypt. Ph: 724107 & 724966. Cucumber, melon, squash & watermelon germplasm evaluation and breeding for disease resistance, incl. viruses.

Havey, Michael J. USDA/ARS, Department of Horticulture, University of Wisconsin, Madison, WI, 53706. Ph: (608) 262-1830; Fax: (608) 262-4743; Email: mjhavey@facstaff.wisc.edu.

Hentschel, Richard Pickle Packers Intl., Inc., P.O. Box 606, St. Charles, IL, 60174-0606. Ph: (630) 584-8950; Fax: (630) 584-0759; Email: staff@ppii.org. Trade Association for pickle vegetables, primarily cucumbers, peppers and cabbage.

Herman, Ran Zeraim Seed Growers Company Ltd., Department of Breeding, Gedera 70 700, Israel. Ph: 08-592760; Fax: 08-594376.

Hertogh, K. Nickerson-Zwaan b.v., Postbus 28, 4920 AA Made, The Netherlands. Ph: 31(0)62 690 900; Fax: 31(0)162 680 970; Email: seeds@nickerson-zwaan.nl.

Himmel, Phyllis Seminis Vegetable Seeds, 37437 State Highway 16, Woodland, CA, 95695. Ph: (530) 669-6182; Email: phyllis.himmel@svseeds.com. Viral diseases of cucurbits.

Hirabayashi, Tetsuo Nihon Horticultural Production Inst., 207 Kamishiki, Matsudo-shi, Chiba-ken 270-2221, Japan. Ph: 0473-87-3827; Fax: 0473-86-1455. Varietal improvement of cucurbit crops, especially melon, cucumber and pumpkin.

Hollar, Larry A. Hollar & Co., Inc., P.O. Box 106, Rocky Ford, CO, 81067. Ph: (719) 254-7411; Fax: (719) 254-3539; Email: lahollar@iguana.ruralnet.net. Cucurbit breeding and seed production.

Holle, Miguel CALCE 2, #183 Urb. El Rancho, Miraflores - Lima 18, Peru. Ph: 51-14-383749; Fax: 51-14-351570; Email: m.holle@cgiar.org. Plant genetic resources.

Holman, Bohuslav Bzinska Str. 1420, Bzenec, CZ-696 81, Czech Republic. Ph: +420-631-384470; Fax: +420-631-384972; Email: bholman@iol.cz. Cucumber breeding and seed production

Humaydan, Hasib Ag Consulting International, 317 Red Maple Drive, Danville, CA, 94506. Ph: (925) 736-1241; Fax: (925) 736-1241; Email: humaydan@aol.com.

Hutton, Mark Univ. Maine, Highmoor Farm, P.O. 17, Monmouth, ME, 04259-0179. Ph: (207) 933-2100; Email: mhutton@umext.maine.edu. Squash breeding and cultivar development.

Iamsangsri, Suphot Limagrains Veg. Seeds Asia, 119/9 Moo 1, Baan Khao, Muang, Kanchanaburi

71000, Thailand. Ph: 66-2-636-2521-1; Fax: 66-2-636-2524.

Ignart, Frederic Centre de Recherche TEZIER, Route de Beaumont, Domaine de Maninet, 26000 Valence, France. Ph: (33) 75575757; Fax: (33) 75552681; Email: frederic.ignart@tezier.com. Squash and melon breeding.

Ikegami, Takayuki Sakata Seed Corp., 1743-2 Yoshioka, Kakegawa, Shizuoka, 436-0115, Japan. Ph: 81-0537-26-1111; Fax: 81-0537-26-1110. Cell biology.

Ito, Kimio Vegetable Breeding Laboratory, Hokkaido Natl. Agric. Expt. Sta., Hitsujigaoka, Sapporo, Japan 062-8555. Ph: 011(851)9141; Fax: 011(859)2178; Email: kito@cryo.affrc.go.jp.

Jahn, Molly Kyle Cornell Univ, Dept Plant Brdng, 312 Bradfield Hall, Ithaca, NY, 14853-1902. Ph: (607) 255-8147; Fax: (607) 255-6683; Email: mmk9@cornell.edu. Melon and squash breeding and genetics.

Jain, Jaagrati B-149 M. P. Enclave, Pitampura, Delhi-110034, India. Email: jaagrati@rediffmail.com. Melon genetics & tissue culture.

Johnston, Rob, Jr. Johnny's Selected Seeds, Foss Hill Road, Albion, ME, 04910-9731. Ph: (207) 437-9294; Fax: (207) 437-2603; Email: rob@johnnyseeds.com. Squash and pumpkins.

Kampmann, Hans Henrik Breeding Station Danefeld, Odensevej 82, 5290 Marslev, Denmark. Ph: 65 95 17 00; Fax: 65 95 12 93.

Kanda, Minoru Kanda Seed Co., Ltd., 262 Shinga, Kashihara, Nara, 634-0006, Japan. Ph: 0744-22-2603; Fax: 0744-22-9073; Email: minojazz@mue.biglobe.ne.jp.

Karchi, Zvi 74 Hashkedim St., Kiryat-Tivon 36501, Israel. Ph: 04-9830107; Fax: 972-4-9836936. Cucurbit breeding, cucurbit physiology.

Kato, Kenji Fac. Agriculture, Okayama Univ., 1-1-1 Tsushima Naka, Okayama, 700, Japan. Ph: 81-86-251-8323; Fax: 81-86-254-0714; Email: kenkato@cc.okayama-u.ac.jp. Use of molecular markers for QTL mapping and cultivar identification in melon.

Katzir, Nurit Newe Ya'ar Research Center, ARO, P.O. Box 1021, Ramat Yishay, 30095, Israel. Ph: 972-4-9539554; Fax: 972-4-9836936; Email: nuritkat@netvision.net.il.

Keita, Sugiyama Kurume Branch, Natl Res Inst, Veg/OrnPlnts/Tea, Kurume, Fukuoka 839-8503, Japan. Ph: +81-942-43-8271; Fax: +81-942-43-7014. Watermelon.

Kerje, Torbjorn IPGRI, c/o ICRAF, PO Box 30677, Nairobi, Kenya. Ph: 254-2- 521514; Fax: 254-2-521209. Genetic diversity of *Cucurbita* and *Cucumis* in Southern Africa.

Khan, Iqrar A. Dept. Crop Sciences, Sultan Qaboos University, P.O. Box-34, Al-Khod 123, Sultanate of Oman. Ph: (+968) 515-213; Fax (+968) 513-418, Email: iqrar@squ.edu.om.

King, Joseph J. Seminis Vegetable Seeds, Inc., 37437 State Highway 16, Woodland, CA, 95695. Ph: (530) 666-6262; Fax: (530) 666-5759; Email: joe.king@svseeds.com. Genetics and breeding of melon, cucumber and squash.

King, Stephen R. Seminis Vegetable Seeds, Inc., 37437 State Hwy. 16, Woodland, CA, 95695. Ph: (530) 666-0931; Fax: (530) 668-0219; Email: stephen.king@seminis.com. Melon breeding.

Kirkbride, Joseph H., Jr. USDA-ARS, Systematic Bot & Mycol Lab, Rm 304, Bldg 011A, BARC-West, Beltsville, MD, 20705-2350. Ph: (301) 504-9447; Fax: (301) 504-5810; Email: jkirkbri@asrr.arsusda.gov. Systematic taxonomy of the Cucurbitaceae.

Klapwijk, Ad De Ruiter Zonen CV, Postbus 1050, 2660 BB Bergschenhoek, The Netherlands. Ph: 010-5292253; Fax: 010-5292410.

Knerr, Larry D. Shamrock Seed Company, 3 Harris Place, Salinas, CA, 93901- 4586. Ph: (831) 771-1500; Fax: (831) 771-1517; Email: lknerr@shamrockseed.com. Varietal development of honeydew and cantaloupe.

Konno, Yoshihiro Asahi Ind., Biol. Engin. Lab., 222 Wataruse, Kamikawa-machi, Kodama-gun, Saitama 367-0394, Japan. Ph: 81-274-52-6339; Fax: 81-274-52-4534; Email: y.konno@asahi-kg.co.jp. Watermelon breeding.

Kraakman, Peter DeRuiter Zohen, Torre Caribe 7D, Aguadulce (Almeria), Spain. Email: Peter.Kraakman@deruiterseeds.com.

Křístková, Eva Res Inst Crop Prod, Praha-Ruzyne, Workplace Olomouc, Slechtitelu 11, 738 71 Olomouc, Czech Republic. Ph: +420-68-5228355; Fax: +420-68-5228355; Email: olgeba@ova.pvtnet.cz. Gene bank curating of

cucurbitaceous vegetables; powdery mildew resistance in *Cucurbita*.

Kuginuki, Yasuhisa National Institute Veg/Orn/Tea, Crop Research Station, Ano, Mie 514-2392, Japan. Ph: 0592-68-1331; Fax: 0592-68-1339. Breeding for resistance to disease.

Kuhlmann, Hubert Fink GmbH, Benzstrasse 25, D-71083 Herrenberg, Germany. Ph: (07032) 922-122; Fax: (07032) 922-202.

Kuti, Joseph O. Dept Agron & Res Sci, Hort Crops Lab, Texas A&M University - Kingsville, Kingsville, TX, 78363. Ph: (361) 593-3978; Fax: (361) 593-3788; Email: j-kuti@tamuk.edu. Breeding and genetics; host-parasite interrelationships; postharvest physiology.

Kwack, Soo Nyeon Dept Hort Breeding, Mokpo Natl Univ, Dorimri, Chonggyemyun, Muangun, Chonnam 534-729, Korea.

Kwon, Young-Seok Natl. Alpine Agric. Expt. Sta., 1 Hoengkeri, Doam, Pyongchang, Kangwondo, Rep. Korea 232-950. Ph: 82-374-330-7811; Fax: 82-374-330-7715; Email: yskwon@naaes.go.kr. Watermelon germplasm evaluation and breeding for disease resistance.

Lebeda, Aleš Palacky University, Dept. Botany, Slechtitelu 11, 783 71 Olomouc, Czech Republic. Ph: +420/68/5228825; Fax: +420/68/5241027; Email: lebeda@risc.upol.cz.

Lee, Do-Hyon Novartis Seeds Co., Ltd., 8th fl. SungAm Bldg. #114, Nonhyun-dong, Kangnam-ku, Seoul, Korea 135-010. Ph: +82 2 3218 5400; Fax: +82 2 516 2286. Disease resistance.

Lee, Sang Yeb Breeding Res. Inst., Dongbuhannong Chem., #481-3, Deng Bong-RT, YangSeong-Myun, An Seong, Kyung Ki, South Korea 456-930. Ph: 31-674-6911-5; Fax: 31-674-6916; Email: syleehan@hanmail.net.

Legg, Erik 7240 Holsclaw Road, Gilroy, CA, 95020. Ph: 408-846-2228; Fax: 408- 848-8129; Email: erik.legg@syngenta.com. Genetics; phylogeny, resistance, molecular markers.

Lehmann, Louis Carl Louie's Pumpkin Patch, Brinkgatan 6, SE-268 32, Svalov, Sweden. Ph: +46-418-66 3602; Email: pumpkin.patch@swipnet.se. *Cucurbita* - testing of squash and pumpkin for use in Southern Sweden.

Lelley, Tamas Inst Agrobiotech, Dept Plant Biotech, Konrad Lorenz Str. 20, Tulln, Lower

Austria, Austria 3430. Ph: +43 2272 66280 204; Fax: +43 2272 66280 77; Email: lalley@ifa-tull.ac.at.
Cucurbita spp.

Lester, Gene USDA/ARS, Subtropical Agric Res Lab, 2301 S. International Blvd., Weslaco, TX, 78596. Ph: (210) 565-2647; Fax: (210) 565-6133; Email: glester@pop.tamu.edu. Stress and pre/postharvest physiology of melons.

Levi, Amnon U.S. Vegetable Laboratory, 2875 Savannah Highway, Charleston, SC, 29414. Ph: (843) 556-0840; Fax: (834) 763-7013; Email: alevi@awod.com.

Lin, Depei Sichuan Academic Agric. Science, Institute of Horticulture, Chengdu 610066, People's Rep. China. Ph: (028) 4791732; Fax: (028) 4442025. Watermelon, melon and *Cucurbita* breeding.

Liu, Wenge Zhengzhou Fruit Research Inst, Chinese Academy of Agric Sci, Zhengzhou, Henan, P.R. China 450009. Ph: (0371) 6815703; Fax: (0371) 6815771; Email: wliorong@public2.zz.ha.cn. Watermelon breeding, male sterility, tetraploids, triploids.

Lopez Anido, Fernando Catedra de Genetica, Fac. de Cs. Agrarias, UNR, CC 14, 2123 Zavalla, Argentina. Ph: 54-41-970080; Fax: 54-41-970085; Email: felopez@fcagr.unr.edu.ar. Breeding of *Cucurbita pepo* L. (caserta type).

Love, Stephen Loyd Aberdeen R&E Center, P.O. Box AA, Aberdeen, ID, 83210. Ph: (208) 397-4181; Fax: (208) 397-4311; Email: sllove@uidaho.edu. Small scale private watermelon breeding with emphasis on adaptation to cold climates.

Lower, Richard L. Coll. Agriculture, Univ. Wisconsin, 1450 Linden Drive, Room 240, Madison, WI, 53706. Ph: (608) 262-2349; Fax: (608) 265-6434; Email: richard.lower@ccmail.adp.wisc.edu. Effects of plant type genes on yield, sex- expression, growth parameters, pest resistance & adaptability.

Loy, J. Brent Dept. Plant Biology, Univ. New Hampshire, Durham, NH, 03824. Ph: (603) 862-3216; Fax: (603) 862-4757; Email: jbloy@cisunix.unh.edu. Squash, melon, pumpkin. Genetics, breeding, plasticulture, mulch, rowcovers.

Maluf, Wilson Roberto Dept. de Agricultura/UFLA, Caixa Postal 37, 37200-000 Lavras-MG, Brazil. Ph: (035) 829-1326; Fax: (035) 829-1301; Email: wrmaluf@ufla.br. Cucumbers, melons, squashes.

Markiewicz-Ladd, Krystyna Polonica International, P.O. Box 2305, Gilroy, CA, 95021. Ph: (408) 842-1022; Fax: (408) 842-1022; Email: polonica@aol.com. Melons - breeding, new germplasm, postharvest physiology, biotechnology, cultural practices, new diseases.

Martyn, Ray D. Dept. Botany & Plant Pathology, 1155 Lilly Hall, Purdue Univ., West Lafayette, IN, 47907-1155. Ph: (765) 494-4615; Fax: (765) 494-0363; Email: Martyn@btny.purdue.edu. Soilborne diseases of watermelon and melon, particularly the Fusarium wilts and vine declines.

Matsuura, Seiji Kiyohara Breeding Sta., Tohoku Seed Co., 1625 Nishihara, Himuro, Utsunomiya, Japan. Ph: 0286-34-5428; Fax: 0286-35-6544.

Mayberry, Mella-Dee Seminis Vegetable Seeds, 37437 State Hwy 16, Woodland, CA, 95695. Ph: (530) 669-6185; Fax: (530) 666-2308; Email: Mella-Dee.Mayberry@seminis.com.

Maynard, Donald N. University of Florida, 5007 60th Street East, Bradenton, FL, 34203. Ph: (941) 751-7636; Fax: (941) 751-7639; Email: bra@gnv.ifas.ufl.edu. Tropical *C. moschata* improvement; watermelon variety evaluation and production practices.

McClurg, Charles A. University of Maryland, Dept. Natural Resource Sci., College Park, MD, 20742-4452. Ph: (301) 405-4342; Fax: (301) 314-9308; Email: cm19@umail.umd.edu. Production and culture of cucurbit crops.

McCreight, J.D. USDA-ARS, 1636 E. Alisal St., Salinas, CA, 93905. Ph: (831) 755-2864; Fax: (831) 755-2814; Email: VegBreeder@netscape.net. Melon breeding and genetics.

McGrath, Desmond John Dept. Primary Ind., Hortic. Res. Sta., P.O. Box 538, Bowen, Queensland 4805, Australia. Ph: +61-7-4785 2255; Fax: +61-7-4785 2427; Email: mcgratdj@prose.dpi.qld.gov.au. Disease resistance in *Cucumis melo*, particularly gummy stem blight.

Meadows, Mike Syngenta Seeds, Inc., 10290 Greenway Road, Naples, FL, 34114. Ph: (941) 775-4090; Fax: (941) 774-6852; Email: mike.meadows@syngenta.com. Vegetable diseases.

Merrick, Laura C. Dept. Agron., Iowa St. Univ, G207 Agronomy Hall, Ames, IA, 50011-1010. Ph: (515) 294-7636; Fax: (515) 294-3163; Email: lmerrick@iastate.edu. *Cucurbita* evolution; cucurbit

germplasm evaluation and conservation; ethnobotany and evolution.

Mochizuki, Tatsuya Kurume Br, Natl Res Inst Veg/Orn/Tea, 1823 Mii-machi, Kurume, Fukuoka 830, Japan. Ph: 0942-43-8271; Fax: 0942-43-7014.

Morelock, Ted Dept. Horticulture & Forestry, University of Arkansas, Fayetteville, AR, 72701. Ph: (501) 575-2603; Fax: (501) 575-8619; Email: morelock@comp.uark.edu. Cucumber breeding.

Munger, H.M. Cornell University, 252 Emerson Hall, Ithaca, NY, 14853. Ph: (607) 255-7820; Fax: (607) 255-6683; Email: hmm11@cornell.edu. Cucurbit breeding and disease resistance.

Myers, James R. Dept. Horticulture, Oregon State Univ., 4137 Ag Life Sciences Bldg., Corvallis, Oregon, 97331. Ph: (541) 737-3083; Email: myersja@bcc.orst.edu.

Nadel, Michael 10851 Woodbine Street, Los Angeles, CA, 90034. Ph: (310) 838-7675; Fax: (310) 202-7466; Email: dansonseed@mediaone.net. Breeding summer squash, cucumbers, melons and watermelons.

Nannes, Jeroen Seminis Vegetable Seeds, P.O. Box 93, 2675 ZH Honselersdijk, The Netherlands. Email: jnannes@svseeds.nl. Breeding slicing cucumber.

Navazio, John P. Chriseed, P.O. Box 98, Mount Vernon, WA, 98273-0098. Ph: (360) 336-9727; Fax: (360) 424-9520; Email: john_navazio@alfseed.com. Breeding for increased pigments in cucurbits, carrots and beets.

Nea, Larry Seminis Vegetable Seeds, 37437 State Highway 16, Woodland, CA, 95695. Ph: (530) 666-0931; Fax: (530) 668-0219. Cucumbers, melons, squash, watermelon.

Ng, Timothy J Dept. Natural Resource Sci., University of Maryland, College Park, MD, 20742-4452. Ph: (301) 405-4345; Fax: (301) 314-9308; Email: tn5@umail.umd.edu. Melon breeding and genetics; postharvest physiology; seed germination.

Niemirowicz-Szczytt, Katarzyna Warsaw Ag Univ, Dept Gen & Plt Brdng, ul. Nowoursynowska 166, 02-766 Warsaw, Poland. Ph: (48-22) 843 09 82; Fax: (48-22) 843 90 61; Email: niemirowicz@alpha.sggw.waw.pl. Cucumber, melon, winter and summer squash, watermelon - genetics, breeding, tissue culture, biotechnology.

Nuez, Fernando Cat.de Genetica, ETS Ingen. Agron., Univ. Politecnica, Camino de Vera, 14,

46020 Valencia, Spain. Ph: 34 (6) 387-74-21; Fax: 34 (6) 387-74-29; Email: fnuez@btc.upv.es. Genetics and plant breeding.

Oliveira de Paiva, Waldelice EMBRAPA/CNPAT - Caixa Postal 3761, Rua Dra. Sara Mesquita 2270, 60511-110-Fortaleza-Ceara, Brazil. Ph: (085) 299.18.01; Fax: (085) 299.18.03; Email: Walde@cnpat.embrapa.br. Research with cucurbit species, especially *Cucumis*, and particularly *Cucumis melo*.

Om, Young-Hyun Natl Horticultural Res Inst, 475 Imok-Dong, Suwon 440-310, Republic of Korea. Ph: 82-0331-290-6171; Fax: 82-0331-295-9548; Email: omyh@nhri.go.kr. Breeding of cucurbit vegetables.

Omara, Sadig Khidir Dept. Horticulture, Fac. Agric. Sci., University of Gezira, Wad Medani, P.O. Box 20, Sudan.

Ouyang, Wei United Genetics Seeds Co., 18 W. Hacienda Lane, Woodland, CA, 95695. Ph: (707) 693-6815; Fax: (707) 693-6814; Email: weiouyang1@yahoo.com. Squash, watermelon, and melon breeding.

Owens, Ken United Genetics Seeds Co., 8000 Fairview Road, Hollister, CA, 95023. Ph: (831) 636-4882; Fax: (831) 636-4883; Email: kobreeding@hotmail.com. Cucumber breeding.

Pachner, Martin Hadikgasse 44/3, A-1140 Wien, Austria. Ph: 43/(0)2272/66280/256; Fax: 43/(0)2272/66280/203; Email: pachner@ifa-tulln.ac.at.

Palomares, Gloria Dept Biotecnologia, Univ Politecnica, Camino de Vera, s/n., E-46022 Valencia, Spain. Ph: 34(6)387-7426; Fax: 34(6)387-7429; Email: gpaloma@btc.upv.es. Genetic improvement in horticultural plants.

Paris, Harry Dept. Vegetable Crops, A.R.O., Newe Ya'ar Research Ctr, PO Box 1021, Ramat Yishay 30-095, Israel. Ph: 972-4-9894516; Fax: 972-4-9836936; Email: hsparis@netvision.net.il. Breeding and genetics of squash and pumpkin.

Pathak, Chandra c/o Nath Sluis Ltd., Nath House, Nath Road, Aurangabad, 431005, India.

Pavlovic, Nenad Center for Vegetable Crops, Karadjordjeva St. 71, 11420 Smederevska Palanka, Yugoslavia. Ph: +381 26 323 170; Fax: +381 26 323 785; Email: cfvcsp@eunet.yu.

Peiro Abril, José Luis Apartado de Correos no. 2, E 04720 Aguadulce, Almeria, Spain. Ph: +34 950 34 22

35; Fax: +34 950 34 22 35; Email: peiroab@larural.es. Breeding melons, watermelons and cucumber.

Perl-Treves, Rafael Dept. Life Science, Bar-Ilan University, Ramat-Gan, Israel 52900. Ph: 972-3-5318249; Fax: 972-3-5351824; Email: perl@brosh.cc.biu.ac.il.

Peter, K.V. Natl. Research Ctr for Spices, ICAR, Post Bag No. 1701, Marikunnu P.O., Calicut - 673 012, Kerala, India. Ph: 011-91-495-258457.

Peterson, Paul S. Plant Pest Diagnostic Center, 3294 Meadowview Road, Sacramento, CA, 95832-1448. Ph: (916) 262-1139; Fax: (916) 262-1190; Email: ppeterso@cdfa.ca.gov. Laboratory germination and seed quality assessment.

Picard, Florence Vilmorin, Route du Manoir, 49 250 La Menitre, France. Email: vilmorin01@brettcomp.com.

Pitrat, Michel INRA, Domaine St. Maurice, BP 94, 84143 Montfavet cedex, France. Ph: (33) 90 31 63 30; Fax: (33) 90 31 63 98; Email: Michel.Pitrat@avignon.inra.fr. Melon, disease resistance, mutants, genetic map.

Poostchi, Iraj 97 St. Marks Road, Henley-on-Thames RG9 1LP, England. Ph: (01491) 574959; Fax: (10491) 574500. Breeding cantaloupes, melons and watermelons.

Poulos, Jean M. Asgrow Italia, Veg. Seeds Srl, Pontinia Research Station, C.P. 110-04014 Pontinia, Italy. Ph: 39(0)773 848549; Fax: 39(0)773 848548; Email: jpoulos@svseeds.nl.

Price, E. Glen Sugar Creek Seed, Inc., P.O. Box 508, Hinton, OK, 73047. Ph: (405) 542-3920; Fax: (405) 542-3921; Email: SGRCRKSD@hintonet.net. Seedless watermelon; polyploidy, genetics, breeding, cytogenetics.

Provvidenti, Rosario Cornell Univ., Dept. Plant Pathology, NY State Agric. Experiment Sta., Geneva, NY, 14456-0462. Ph: (315) 787-2316; Fax: (315) 787-2389; Email: rp13@cornell.edu. Breeding & genetics of resistance to viral diseases of cucumber, squash, melon, watermelon & other cucurbits.

Ramirez, Pilar CIBCM, Universidad de Costa Rica, San Jose, Costa Rica. Ph: 506-253-5661 x3496; Fax: 506-224-6749; Email: pramirez@cariari.ucr.ac.cr. Viruses in cucurbits, production of resistant transgenic plants.

Ray, Dennis Department of Plant Sciences, University of Arizona, Tucson, AZ, 85721. Ph: (520) 621-7612; Fax: (520) 621-7186; Email: dtray@u.arizona.edu. Genetics and cytogenetics of *Cucumis melo* and *Citrullus* spp.

Reiten, Joel Territorial Seed Co., P.O. Box 157, Cottage Grove, OR, 97424. Ph: (541) 942-9547; Fax: (541) 942-9881; Email: tsc@ordata.com. Bacterial wilt resistance, as well as virus resistance obtained through traditional breeding methods.

Reuling, Gerhard T.M. Nunhems Zaden B.V., P.O. Box 4005, 6080 AA Haelen, The Netherlands. Ph: 0475-599222; Fax: 0475-599223. Cucumber breeding.

Rhodes, Bill B. Clemson Univ./Horticulture, Poole Agricultural Center, Clemson, SC, 29634-0375. Ph: (864) 656-0410; Fax: (864) 656-4960; Email: BRhodes@clemson.edu. Watermelon genetics, breeding, micropropagation, disease resistance, male sterility, triploids.

Robinson, R.W. Dept. Hort. Sci., New York State AES, Hedrick Hall, Geneva, NY, 14456-0462. Ph: (315) 787-2237; Fax: (315) 787-2397; Email: rwr1@cornell.edu. Breeding and genetics of cucurbits.

Robledo, Claude Seminis - Recherche France, Mas de Rouzel - Chemin des Canaux, 30900 Nimes, France. Ph: 33(0)4.66.38.79.80; Fax: 33(0)4.66.38.79.81; Email: crobledo@svseeds.nl. Melon breeding.

Roig, Luis A. Departamental Biotechnology, ETS Ingen. Politec., Camino de Vera 14, 46022 - Valencia, Spain. Ph: 34(6) 3877424; Fax: 34(6) 3877429.

Rorem, Kent Seminis Vegetable Seeds, P.O. Box 667, Arvin, CA, 93203. Ph: (805) 854-2390; Fax: (805) 854-4379. Melon and watermelon breeding and disease resistance.

Saito, Takeo National Research Institute, Veg., Orn. Plants & Tea, Ano, Mie 514-2392, Japan. Ph: +81-59-268-1331; Fax: +81-59-268-1339; Email: romario@nivot.affrc.go.jp. Breeding melons resistant to diseases and insects; use of DNA markers for melon breeding.

Sanghani, Amul Unicorn Agrotech Ltd., 1-7-139/3, S.D. Road, Hyderabad, A.p., India 500 003. Ph: +91 40 7811554; Fax: +91 40 7842399; Email: uniagro@hdl.vsnl.net.in.

Sarfatti, Matti Hazera Ltd., Research Dept., Mivhor, M.P., Lakhish Daram 79354, Israel.

Schultheis, Jonathan R. Dept. Horticulture, 264 Kilgore Hall, North Carolina St. University, Raleigh, NC, 27695-7609. Ph: (919) 515-3131; Fax: (919) 515- 7747; Email: jonathan_schultheis@ncsu.edu. Cultural management of cucurbits; plant spacing, establishment, nutrition, pollination & cultivar evaluation.

Shetty, Nischit V. Asgrow Vegetable Seeds, 432 TyTy Omega Road, Tifton, GA, 31794.

Shifriss, Oved 21 Walter Avenue, Highland Park, NJ, 08904-1709. Precocious pigmentation in *Cucurbita*.

Simon, Philipp W. USDA/ARS-Veg Crops, Dept. Hort., Univ. Wisconsin, 1575 Linden Dr., Madison, WI, 53706. Ph: (608) 262-1248; Fax: (608) 262-4743; Email: psimon@facstaff.wisc.edu. Breeding and genetics.

Sipeyre, Bruno Mas de Rouzel, Chemin des Canaux, 30900 Nimes, France. Ph: 66.84.21.32; Fax: 66.38.09.42.

Skirvin, Robert M. Univ. Illinois, Dept. Horticulture, 258 PABL, 1201 Gregory Dr., Urbana, IL, 61801. Ph: (217) 333-1530; Fax: (217) 333-4777; Email: skirvin@uiuc.edu. Micropropagation; somaclonal variation.

Staub, Jack E. USDA-ARS, Dept. Horticulture, Univ. Wisconsin, Madison, WI, 53706-1590. Ph: (608) 262-0028; Fax: (608) 262-4743; Email: jestaub@facstaff.wisc.edu. Cucumber breeding & genetics, physiology, biochemical genetic markers, evolution, environmental stress.

Stephenson, Andrew G. 208 Mueller Lab, Penn State University, University Park, PA, 16802. Ph: (814) 863-1553; Fax: (814) 865-9131; Email: as4@psu.edu.

Stevens, M. Allen Seminis Vegetable Seeds, Inc., 37437 State Highway 16, Woodland, CA, 95695. Ph: (530) 666-0931; Fax: (530) 668-0219. Direction of research.

Stravato, Vittorio Mario via Carlo Levi n. 18, 04022 Fondi -Latina, Italy. Ph: 771-510729; Fax: 771-555036; Email: sumas@tiscalinet.it. Disease resistance in Cucurbitaceae species.

Summers, William L. Iowa State University, Dept. Horticulture, Rm. 251, Ames, IA, 50011-1100. Ph: (515) 294-1978; Fax: (515) 294-0730; Email:

summers@iastate.edu. Genetic improvement of watermelon

Sušić, Zoran Inst. Srbija - Ctr Vegetable Crops, Karadjordjeva St. 71, 11420 Smederevska Palanka, F.R. Yugoslavia. Ph: +381-26-323-170; Fax: +381-26-323- 785; Email: cfvcsp@eunet.yu. Genetics and breeding of *Cucurbita* species; cucumber breeding.

Tatlioglu, Turan Institut of Applied Genetics, Univ. Hannover, Herrenhauser Str. 2, 3000 Hannover, Germany. Ph: (+49)511762-5675; Fax: (+49)511762-3608; Email: turan.tatlioglu@mbx.genetik.uni-hannover.de. Hybrid breeding, male sterility (GMS, CMS) and sex inheritance

Taurick, Gary Harris Moran Seed Co., P.O. Box 392, Sun Prairie, WI, 53590. Ph: (608) 837-6574; Fax: (608) 837-3758. Development of commercial hybrids of pickle, slicer and Beit Alpha cucumbers.

Teppner, Herwig Inst. Botany, Karl-Franzens Univ., Holteigasse 6, A-8010 Graz, Austria. Ph: 316-380-5656; Fax: 316-380-9883; Email: herwig.teppner@kfunigraz.ac.at. Systematics, morphology, ecology, crops & medicinal plants (teaching) and small scale breeding.

Thomas, Claude E. USDA-ARS, U.S. Vegetable Laboratory, 2875 Savannah Highway, Charleston, SC, 29414. Ph: (803) 556-0840; Fax: (843) 763-7013; Email: cthomas@awod.com. Disease resistance in cucurbits.

Thompson, Gary A. Univ Arkansas LR, Dept Appl Sci, 575 ETAS Bldg, 2801 S. University Ave, Little Rock, AR, 72204-1099. Ph: (501) 371-7506; Fax: (501) 569-8020; Email: gathompson@ualr.edu. Biotechnology.

Tolla, Greg Asgrow SVS, 432 TyTy Omega Rd., Tifton, GA, 31794. Ph: (912) 386- 8701; Fax: (912) 386-8805. Cucumber breeding and genetics.

Vakalounakis, Demetrios J. Plant Protection Inst., N.A.R.F., P.O. Box 1802, 711 10 Heraklio, Crete, Greece. Ph: +3081-240.986; Fax: +3081-245.858; Email: vakaloun@nefeli.imbb.forth.gr.

van Kooten, Henk C. Seminis Veg Seeds - Bruinsma, Wageningse Afweg 31, 6702 PD Wageningen, The Netherlands. Email: hvkooten@svseeds.nl. Breeding pickling cucumber.

van Luijk, Marleen Linda Vista Farm, East West Seed Co., P.O. Box 9073, 3006 Baliuag, Philippines. Ph: 63 44 7641370; Fax: 63 44 7641250; Email:

research.ph@eastwestseed.com. Breeding of cucurbits adapted to tropical conditions.

Vardi, Eyal Hazera Quality Seeds, Mivhor Farm, M.P. Lachish Daron 79354, Israel. Ph: +972-7-6813228; Fax: +972-7-6814057; Email: *vardi@hazera.com*.

Vecchio, Franco c/o Sementi Nunhems, via Ghiarone, 2, S. Agata Bolognese, BO, Italy 40019. Ph: #39-051-6817411; Fax: #39-051-6817400; Email: *Franco.Vecchio@nunhems.com*. Breeding zucchini.

Walters, Terrence The Cucurbit Network, 11901 Old Cutler Road, Miami, FL, 33156-4242. Ph: (305) 667-3800; Fax: (305) 661-5984; Email: *walters@servax.fiu.edu*. Communication via The Cucurbit Network; the whole family Cucurbitaceae.

Wang, Gang 84 Orange Street, Woodbridge, NJ, 07095. Email: *w2140@hotmail.com*. Watermelon and melon breeding.

Wang, Ming Department of Horticulture, Northwestern Agricultural University, Yangling, Shaanxi 712100, P.R. China. Ph: (0910) 709-3426; Fax: (0910) 701-2559. Watermelon genetics and breeding.

Warid, Warid A. 11 Cairo University Street, Apartment #4, Giza - 12211, Egypt. Breeding of cucurbits.

Wasilwa, Lusike Rutgers Blueberry/Cranberry Res Ctr, 125a Lake Oswego Rd., Chatsworth, NJ, 08019. Ph: (609) 726-1590; Fax: (609) 726-1593; Email: *wasilwa@aesop.rutgers.edu*. Disease screening, fungal genetics, evaluation of fungal diversity of *Colletotrichum* spp.

Watterson, Jon Seminis Vegetable Seeds, Inc., 37437 Highway 16, Woodland, CA, 95616. Ph: (530) 669-6157; Fax: (530) 666-6791. Cucumber, melon, watermelon, squash, pumpkin, gourd germplasm and disease resistance.

Wehner, Todd C. Dept. Horticultural Science, Box 7609, North Carolina St. Univ., Raleigh, NC, 27695-7609. Ph: (919) 515-5363; Fax: (919) 515-2505; Email: *todd_wehner@ncsu.edu*. Pickling/slicing

cucumber, watermelon, luffa gourd; selection, disease resistance, yield, genetics & chilling.

Wessel-Beaver, Linda Agronomy & Soils Dept., Univ. Puerto Rico, PO Box 9030, Mayaguez, PR, 00681-9030. Ph: (787) 832-4040; Fax: (787) 265-0220; Email: *l_beaver@rumac.upr.clu.edu*. Pumpkin & squash breeding; disease resistance; insect resistance.

Williams, Tom V. Syngenta Seeds, 10290 Greenway Road, Naples, FL, 34114-3199. Ph: (941) 775-4090; Fax: (941) 774-6852; Email: *tom.williams@syngenta.com*. Watermelon breeding.

Winkler, Johanna Saatzucht Gleisdorf GesmbH, Am Tieberhof 33, 8200 Gleisdorf, Austria. Ph: +43 (0)3112 21050; Fax: +43 (0)3112 21050; Email: *winkj.szgl@ccf.co.at*.

Wolff, David W. Sakata Seed America, Inc., P.O. Box 1118, Lehigh Acres, FL, 33970-1118. Ph: (941) 369-0032 x13; Fax: (941) 369-7528; Email: *dwolff@sakata.com*. Watermelon breeding and genetics; molecular markers.

Wu, Mingzhu Hort Inst, Xinjiang Acad Agric Sci, Nanchang Road NO. 38, Urumqi, Xinjiang, People's Rep. China. Ph: 0991-4840311-2094.

Yamanaka, Hisako Yamato-Noen Co., Ltd., 110, Byodobono-cho, Tenri-City, Nara, Japan 632-0077. Ph: 07436-2-1182; Fax: 07436-3-3445.

Yorty, Paul Qualiveg Seed Production, 3033 E., 3400 N., Twin Falls, ID, 83301. Ph: (208) 733-0077; Fax: (208) 733-0077. Cucurbit breeding.

Zhang, Jiannong Melon Research Institute, Gansu University of Agriculture, Lanzhou, Gansu, 730070, P.R. China.

Zhang, Xingping Syngenta Seeds, 21435 Rd 98, Woodland, CA, 95695. Ph: (530) 666-0986; Fax: (530) 666-5273; Email: *Xingping.Zhang@syngenta.com*. Watermelon and melon genetics & breeding.

Zitter, Thomas A. Cornell Univ., Dept. Plant Pathology, 334 Plant Science Building, Ithaca, NY, 14853-5908. Ph: (607) 255-7857; Fax: (607) 255-4471; Email: *taz1@cornell.edu*. Fungal and viral diseases; disease resistance.